



# Socket Head Cap Screw

Metric

Length	M2 WRENCH 1.5mm			WRENCH 2mm			WRENCH 3 2.5mm		
	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity
3	104151	1,250	500						
4	104152	560	500						
5	104154	570	500	104161	540	500	106218	881	500
6	104155	580	500	104162	560	500	103002	759	500
8	104157	590	500	104163	575	500	122097	555	500
10	104159	600	500	104164	590	500	113583	464	500
12	106216	620	500	104166	650	500	120870	464	500
16							103003	486	500
20							113623	486	500
25							103010	508	200
30							103013	594	200
35							106219	742	200
40							406027	850	200
45							700034	940	200

Length	M4 WRENCH 3mm			M5 WRENCH 4mm			M6 WRENCH 5mm		
	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity
6	106223	755	500						
8	113810	564	500	122122	551	500	103042	717	200
10	113839	447	500	122243	321	500	122111	475	200
12	121077	403	500	121094	321	500	120872	475	200
16	103014	421	500	103024	352	500	103044	452	200
20	105753	452	500	113970	378	200	119790	475	200
25	125381	468	500	121096	403	200	119937	532	200
30	103018	555	500	103029	464	200	122121	602	200
35	103019	608	200	115292	508	200	121090	659	200
40	103021	673	200	103030	555	200	121075	717	200
45	103022	769	200	103031	604	200	122087	776	200
50	103023	881	200	103035	608	200	112624	822	200
55	400835	1,415	200	103038	1,042	200	113128	920	200
60	180011	2,839	200	103040	1,337	200	122088	1,702	200
65				106225	1,448	200	103047	1,765	200
70				106228	1,559	200	103048	1,841	200
75				700072	1,804	200	103049	2,014	200
80				404774	1,906	200	103051	2,182	200
90				181525	2,104	200	103052	2,344	200
100							103053	2,645	200
110							103054	3,474	100



## Socket Head Cap Screw

Metric

Length	M8 WRENCH 6mm			M10 WRENCH 8mm			M12 WRENCH 10mm			M14 WRENCH 12mm		
	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity
10	103056	921	200									
12	114972	695	200	106237	1,106	200						
16	103058	610	200	103080	1,029	200						
20	122086	605	200	113163	1,072	200	112607	2,606	100			
25	119351	673	200	115060	1,024	100	122250	2,283	100	400528	5,934	50
30	119383	742	200	122114	1,129	100	122251	2,168	100	400529	5,934	50
35	122113	806	200	113257	1,219	100	125530	2,207	100	400530	4,989	50
40	113143	875	200	100845	1,488	100	114996	2,227	100	400531	5,106	50
45	121076	1,021	200	121088	1,608	100	115075	2,499	50	400532	5,199	50
50	121068	1,076	200	125660	1,712	100	112360	2,318	50	120863	5,316	50
55	103063	1,187	100	103087	1,848	100	122255	2,702	50	400533	5,382	50
60	121070	1,277	100	122217	1,999	100	122260	2,860	50	112000	5,703	50
65	103064	1,389	100	103088	2,160	100	122261	3,003	50	400534	5,789	50
70	103066	1,485	100	125786	2,328	50	103098	3,163	50	400535	6,241	50
75	103069	1,575	100	103090	2,480	50	103099	3,307	50	400536	6,609	50
80	103070	2,272	100	103091	3,430	50	103100	3,969	50	400537	6,917	20
90	103073	2,637	100	103094	3,921	50	103103	4,487	50	400538	7,075	20
100	103075	3,128	100	103095	4,593	50	122142	4,958	50	400539	8,782	25
110	103076	3,909	100	103096	5,440	50	125791	6,106	25	400540	9,542	25
120	103077	4,565	50	103097	5,502	50	103104	7,020	25	400508	10,310	25
130	106230	5,540	50	106240	7,491	50	103107	8,306	25	180223	11,650	25
140	106231	5,950	50	106241	8,359	50	103108	9,261	25	180103	12,437	25
150	106232	6,426	50	106242	9,297	50	103110	10,238	25	180225	13,291	25
160	106233	6,855	100	106243	11,621	50	107456	16,880	25	180226	14,176	10
170				210001	12,814	25	181063	18,558	20	210002	15,062	10
180				106244	13,074	25	107458	18,558	20	180227	15,948	10
200							107459	20,091	20			
220							400570	21,625	20			
230							183555	27,840	20			
240							400571	32,466	20			
260							400572	37,101	20			
280							400573	39,956	20			

Grey highlighted items are full threaded

1. Specifications : Generally conforming to IS : 2269, DIN : 912, ISO : 4762.
2. Threads : ISO Metric (Coarse Series) 4g6g as per IS : 4218, ISO : 261, ISO : 965.
3. Material : Unbrako High Grade Alloy Steel.
4. Mechanical Properties : Property Class 12.9 as per IS : 1367, ISO : 898 Part I.
5. Note : Upto 80MM Dia can be manufactured against request.
6. For sizes beyond those listed, prices on application.



# Socket Head Cap Screw

Metric

Length	M16 WRENCH 14mm			M18 WRENCH 14mm			WRENCH 20 17mm			WRENCH 22 17mm		
	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity
20	210003	5,679	50									
25	106248	5,679	50				210006	13,518	25			
30	103112	5,679	50	183894	15,937	20	107465	13,518	10			
35	103113	4,772	50	400541	16,136	20	107466	13,696	10			
40	125751	4,644	50	400542	14,130	20	103130	11,991	10			
45	103115	4,978	50	400606	14,233	25	103131	12,074	10			
50	112474	4,827	25	100844	14,343	10	103132	11,562	10	180181	16,667	10
55	103117	5,409	25	400543	14,432	10	103136	12,246	10	180182	18,750	10
60	112594	5,186	25	400544	14,549	10	103137	11,718	10	180183	19,273	10
65	103118	5,806	20	400545	14,666	25	103138	12,451	10	180184	21,465	10
70	103119	6,267	20	400546	15,663	10	103141	13,297	10	180185	21,864	10
75	103120	6,626	20	400547	16,687	10	103142	14,163	10	210007	23,178	10
80	125658	6,937	20	400549	17,010	10	103143	13,717	10	180186	24,361	10
90	103122	7,732	10	400550	17,354	10	103144	14,727	10	180187	25,557	10
100	103123	8,809	10	400551	18,206	10	103145	15,442	10	180188	26,946	10
110	103124	9,566	20	400548	20,145	25	103146	17,093	10	180189	29,311	10
120	103126	10,344	20	400552	22,065	15	103148	18,743	10	180190	31,676	5
130	103127	11,791	20	180311	24,567	10	103150	20,372	10	180191	41,660	5
140	103128	12,627	20	180229	26,534	10	103151	22,009	10	180192	48,673	5
150	103129	13,456	20	180407	28,506	10	103152	24,774	10	180193	64,892	5
160	103364	26,794	10	180230	30,407	10	107462	31,752	10	180194	76,485	5
170	180418	29,840	10	210005	36,009	10	180495	36,262	10			
180	107460	29,840	10	100231	41,612	10	107463	36,262	10	180196	81,841	5
200	107448	32,975	10				107464	37,823	10	180198	87,596	5
220	400574	38,063	10				400553	39,397	10	210008	96,246	5
230	182815	43,152	10				181001	50,571	5			
240	400575	44,720	10				400554	61,744	5	210009	103,891	5
260	400576	56,456	10				400555	75,742	5	210010	111,530	5
280	400577	68,186	10				400556	89,728	5	210011	119,169	5
300	400578	73,057	10				400557	96,137	5	210012	127,682	5

Grey highlighted items are full threaded

1. Specifications : Generally conforming to IS : 2269, DIN : 912, ISO : 4762.
2. Threads : ISO Metric (Coarse Series) 4g6g as per IS : 4218, ISO : 261, ISO : 965.
3. Material : Unbrako High Grade Alloy Steel.
4. Mechanical Properties : Property Class 12.9 as per IS : 1367, ISO : 898 Part I.
5. Note : Upto 80MM Dia can be manufactured against request.
6. For sizes beyond those listed, prices on application.

## Socket Head Cap Screw

Metric

Length	M24 WRENCH 19mm			M27 WRENCH 19mm			M30 WRENCH 22mm		
	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity
45	103153	15,536	10						
50	103155	14,882	10						
55	103157	16,748	10						
60	103158	17,215	10				180207	31,321	
65	103159	18,303	10				210014	31,105	
70	103160	19,527	10	180326	34,118		116464	33,496	
75	103161	20,688	10	210013	35,850		182283	35,893	
80	103162	21,760	10	406161	37,211		140610	37,247	
90	103163	22,826	10	406162	40,944		140611	39,129	
100	103165	24,072	10	406163	43,674		140612	43,723	
110	103166	26,169	10	406164	46,405		140613	46,453	
120	103167	28,293	10	400607	49,134		140614	49,183	
130	103168	30,412	5	406165	52,544		140615	52,597	
140	103170	32,522	5	406166	54,593		140616	54,649	
150	103171	34,646	5	400608	58,009		140617	58,072	
160	104143	56,086	5	400609	91,447		140618	87,389	
180	104146	60,183	5	406168	101,003		140620	96,514	
200	104147	64,425	5	400579	109,880		140621	104,992	
220	400560	68,949	5	180003	136,970		140622	130,376	
240	400561	73,480	5	406171	151,773		140623	140,209	
260	400562	75,777	5	406172	165,319		140624	149,994	
280	400563	79,613	5	406173	176,444		140625	159,825	
300	400564	85,301	5	406174	186,151		400626	169,657	

Grey highlighted items are full threaded

1. Specifications : Generally conforming to IS : 2269, DIN : 912, ISO : 4762.
2. Threads : ISO Metric (Coarse Series) 4g6g as per IS : 4218, ISO : 261, ISO : 965.
3. Material : Unbrako High Grade Alloy Steel.
4. Mechanical Properties : Property Class 12.9 as per IS : 1367, ISO : 898 Part I.
5. Note : Upto 80MM Dia can be manufactured against request.
6. For sizes beyond those listed, prices on application.



## Socket Head Cap Screw

Metric

Length	M33 WRENCH 24mm			WRENCH 6 27mm			WRENCH 2 32mm		
	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity
75	210015	53,912	5						
80	180254	55,961	5	140629	65,394				
90	400649	60,739	5	140630	71,397		182336	103,678	5
100	400628	63,469	5	140631	73,412		400645	110,493	12
110	180255	66,887		400632	77,399		700380	116,666	12
120	180256	73,013		140633	80,741		183113	123,425	10
130	405492	76,437		400634	83,416		182331	129,599	10
140	180257	81,216		140635	92,093		700383	136,420	9
150	180258	85,314		140636	95,414		180960	143,172	9
160	180259	112,953		140637	128,402		181289	194,795	9
180	180261	125,571		140639	143,468		182059	212,513	8
200	180263	136,490		140640	155,480		181290	230,231	7
220	210016	169,149		180294	192,237		400647	280,988	7
240	210017	182,219		140641	197,525		182510	301,072	6
260	210018	190,621		140642	211,544		700390	321,129	6
280	210019	201,114		180411	225,605		181291	341,205	6
300	210020	216,818		140643	239,672		180863	361,276	6

Grey highlighted items are full threaded

1. Specifications : Generally conforming to IS : 2269, DIN : 912, ISO : 4762.
2. Threads : ISO Metric (Coarse Series) 4g6g as per IS : 4218, ISO : 261, ISO : 965.
3. Material : Unbrako High Grade Alloy Steel.
4. Mechanical Properties : Property Class 12.9 as per IS : 1367, ISO : 898 Part I.
5. Note : Upto 80MM Dia can be manufactured against request.
6. For sizes beyond those listed, prices on application.

## Socket Head Cap Screw

Inch

Length	3/16 WRENCH 5/32" mm			1/4 WRENCH 3/16" mm			5/16 WRENCH 7/32" mm			3/8 WRENCH 5/16" mm		
	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity
3/8	400056	405	200	400068	475	200						
1/2	400057	405	200	400069	475	200	400085	656	200	400101	993	200
5/8	400058	377	200	400070	452	200	400086	575	200	400102	933	200
3/4	400059	405	200	400071	475	200	400087	600	200	400103	851	200
7/8				400072	504	200	400088	625	200	400104	944	200
1	400061	454	200	400073	532	200	400089	669	200	400105	944	200
1-1/4	400062	501	200	400074	602	200	400090	767	200	400106	1,035	100
1-1/2	400063	573	200	400075	671	200	400091	858	200	400107	1,153	100
1-3/4	400064	686	200	400076	822	200	400092	1,014	200	400114	1,376	50
2	400065	686	200	400077	822	200	400093	1,014	200	400109	1,431	100
2-1/4	210021	772	200	400078	1,666	200	400094	1,218	200	400110	1,650	100
2-1/2	400066	858	200	400079	1,714	200	400095	1,218	100	400111	1,725	100
2-3/4				400080	1,951	200	404433	1,486	100	400112	1,984	100
3				400081	1,951	200	400096	1,486	100	400113	1,984	100
3-1/4				400082	2,338	200	701026	2,481	100	400114	2,906	50
3-1/2				400083	2,338	200	400098	2,481	100	400115	2,976	50
4				400084	2,576	100	400099	2,944	100	400116	3,493	50
4-1/2							400100	4,619	100	400117	5,150	50
5							701030	5,350	100	400118	6,282	50
5-1/2										400181	7,551	50
6										400119	7,776	50

Grey highlighted items are full threaded

1. Specifications : Generally conforming to BS : 2470.
2. Threads : BS Whitworth Fine, Medium as per BS : 84.
3. Material : Unbrako High Grade Alloy Steel.
4. Mechanical Properties : As per BS 2470
5. Note : Upto 4 Inch Dia can be manufactured against request.



# Socket Head Cap Screw

Inch

Length	7/16 WRENCH 5/16" mm			1/2 WRENCH 3/8" mm			5/8 WRENCH 1/2" mm		
	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity
3/4				400130	2,606	100			
7/8				402942	2,606	100	210033	4,919	50
1	400121	2,225	100	400131	2,276	100	400150	4,919	50
1-1/4	400122	2,225	100	400132	2,385	100	400151	4,276	50
1-1/2	400123	2,269	100	400133	2,427	50	400152	4,425	50
1-3/4	400124	2,426	100	400134	2,594	50	400153	4,707	50
2	400125	2,426	100	400135	2,712	50	400154	4,931	20
2-1/4	210025	2,788	50	400136	3,125	50	400155	5,357	20
2-1/2	701059	2,921	50	400137	3,260	50	400156	5,357	20
2-3/4	210026	3,145	50	400138	3,540	50	400157	5,881	20
3	400127	3,295	20	400139	3,848	50	400158	5,881	20
3-1/4	210027	4,263	50	400140	4,602	50	701096	6,572	10
3-1/2	400128	4,263	50	400141	4,602	20	400159	6,858	10
4	400129	4,937	20	400142	5,323	25	400160	8,147	10
4-1/2	210028	7,089	50	400143	6,538	25	400161	8,644	15
5	210029	7,089	25	400144	7,831	25	400162	9,534	15
5-1/2	210030	8,082	50	400145	8,622	20	400163	11,839	20
6	210031	8,089	25	400146	8,925	20	400164	12,901	20
6-1/2				400147	17,705	20	400165	27,403	10
7				400148	18,565	15	400166	27,403	10
7-1/2				210032	19,293	15	210035	28,453	10
8				400149	20,104	25	400167	30,222	10
8-1/2							210036	39,547	10
9							210037	39,629	10
10							210038	51,855	10

Grey highlighted items are full threaded

1. Specifications : Generally conforming to BS : 2470.
2. Threads : BS Whitworth Fine, Medium as per BS : 84.
3. Material : Unbrako High Grade Alloy Steel.
4. Mechanical Properties : As per BS 2470
5. Note : Upto 4 Inch Dia can be manufactured against request.

## Socket Head Cap Screw

Inch

Length	3/4 WRENCH 9/16" mm			7/8 WRENCH 9/16" mm			1 WRENCH 5/8" mm		
	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity
1	210039	12,277	50						
1-1/4	400168	12,277	10						
1-1/2	400169	10,827	10	400187	17,438	10	210054	15,902	15
1-3/4	400170	11,075	10	210043	18,127	10	210055	16,527	15
2	400171	11,075	10	400188	18,127	10	400194	17,314	10
2-1/4	400172	11,314	10	404637	19,527	10	404571	18,663	10
2-1/2	400173	11,314	10	400189	19,527	10	400195	18,663	10
2-3/4	400174	12,876	10	210044	21,959	10	210056	21,021	10
3	400175	12,876	10	400190	22,002	10	400196	21,021	10
3-1/4	400176	13,377	10	701133	24,266	10	210057	23,180	10
3-1/2	400177	13,377	10	400191	24,266	10	400197	23,180	10
4	400178	14,027	10	400192	25,602	10	400198	25,604	5
4-1/2	400179	17,052	10	701136	30,104	10	400199	28,681	5
5	400180	18,527	10	701137	32,341	10	400200	30,908	5
5-1/2	700121	20,501	10	210047	34,615	10	183785	33,069	5
6	400182	22,502	10	400193	36,867	10	400201	36,906	5
6-1/2	400183	29,566	10	210048	64,006	5	210059	59,068	5
7	400184	30,253	10	701139	64,006	5	400202	61,193	5
7-1/2	210040	30,940	10	210050	66,319	5	210060	63,381	5
8	400185	31,566	10	210051	67,757	5	400203	65,506	5
8-1/2	210041	36,628	10	210052	71,507	5	210061	71,632	5
9	400186	36,628	10	210053	71,507	5	210062	73,695	5
10	701127	40,698	5				210063	81,884	5

Grey highlighted items are full threaded

1. Specifications : Generally conforming to BS : 2470.
2. Threads : BS Whitworth Fine, Medium as per BS : 84.
3. Material : Unbrako High Grade Alloy Steel.
4. Mechanical Properties : As per BS 2470
5. Note : Upto 4 Inch Dia can be manufactured against request.