



Hex Head Bolts/Screws

Metric

Length	M4			M5			M6			M8		
	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity
10	170001	248	500	170013	263	500	170029	331	500			
12	170002	257	500	170014	267	500	170030	350	500	170049	510	500
16	170003	422	500	170015	431	500	170031	362	500	170050	515	200
18	170004	422	500	170016	431	500	170032	369	500	170051	464	200
20	170005	365	500	170017	347	500	170033	362	500	170052	462	200
22	170006	371	500	170018	370	500	170034	375	500	170053	526	200
25	170007	371	500	170019	370	500	170035	375	500	170054	506	200
30	170008	370	500	170020	398	500	170036	394	500	170055	570	200
35	170009	379	500	170021	398	500	170037	419	200	170056	664	200
40	170010	403	500	170022	422	500	170038	444	200	170057	703	200
45	170011	454	500	170023	461	500	170039	471	200	170058	762	200
50	170012	504	500	170024	554	500	170040	504	200	170059	828	200
55	240001	554	500	170025	583	500	170041	554	200	170060	913	100
60	240002	605	500	170026	636	200	170042	606	200	170061	1,031	100
65				170027	723	200	170043	657	100	170062	1,064	100
70				170028	779	200	170044	708	100	170063	1,140	100
75				240003	835	200	170045	713	100	170064	1,185	100
80							170046	752	100	170065	1,228	100
90							170047	847	100	170066	1,587	100
100							170048	941	100	170067	1,912	50
110							551178	1,449	100	240010	2,694	50
120							550866	1,575	100	240011	2,972	50
130							550867	1,697	100	240012	3,253	50
140							550868	1,821	100			
150							550869	1,945	100			

Grey highlighted items are full threaded

1. Specifications : Generally conforming to IS : 1364, ISO : 4014/4017, DIN 931/933.
2. Threads : ISO Metric 6g as per IS:4218.
3. Material and Mechanical Properties : Property Class 10.9 as per IS : 1367.
4. Note : Shaded size are fully threaded. Prices for fully threaded screws beyond shaded sizes will cost 10% extra.
5. Orders for Property class 8.8 can be accepted subject to our confirmation on the basis of item wise quantities.
Price list for 8.8 available separately.
6. Upto 80MM Dia can be manufactured against request.

Hex Head Bolts/Screws

Metric

Length	M10			M12			M14			M16		
	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity
16	170068	864	200									
18	170069	864	200									
20	170070	816	200	170093	1,330	100				170142	3,029	50
22	170071	898	200							170143	3,029	50
25	170072	876	200	170094	1,455	100	170121	2,313	50	170144	3,029	25
30	170073	945	100	170095	1,434	100	170122	2,493	50	170145	3,320	25
35	170074	994	100	170096	1,524	100	170123	2,593	25	170146	3,320	25
40	170075	1,215	100	170097	1,724	100	170124	2,756	25	170147	3,286	25
45	170076	1,400	100	170098	1,912	50	170125	2,995	25	170148	3,484	25
50	170077	1,434	100	170099	2,045	50	170126	3,320	25	170149	3,743	25
55	170078	1,504	100	170100	2,208	50	170127	3,394	25	170150	4,189	25
60	170079	1,651	100	170101	2,302	50	170128	3,546	25	170151	4,389	25
65	170080	1,728	50	170102	2,407	50	170129	3,741	25	170152	4,532	25
70	170081	1,817	50	170103	2,703	50	170130	3,968	25	170153	4,802	25
75	170082	1,956	50	170104	2,799	50	170131	4,162	25	170154	5,150	25
80	170083	2,251	50	170105	2,990	50	170132	4,406	25	170155	5,952	25
90	170084	2,495	50	170106	3,198	25	170133	4,827	25	170156	6,359	25
100	170085	2,848	50	170107	3,736	25	170134	5,555	25	170157	6,554	15
110	170086	3,312	50	170108	4,082	25	170135	6,038	25	170158	7,321	15
120	170087	3,605	25	170109	4,356	25	170136	6,705	25	170159	8,363	15
130	170088	4,049	50	170110	4,605	25	170137	7,207	25	170160	9,766	15
140	170089	4,492	50	170111	5,425	25	170138	9,398	25	170161	9,969	15
150	170090	4,813	30	170112	7,300	25	170139	10,373	25	170162	11,346	15
160	170091	5,132	25	170113	7,653	20	170140	11,584	25	170163	12,323	15
180	170092	5,774	25	170114	8,319	20	170141	12,427	25	170164	13,860	15
200				170115	10,994	25				170165	15,003	10
220				170116	15,810	25				170166	19,392	10
240				170117	16,200	20				170167	20,870	10
260				170118	16,548	20				170168	21,292	10
280				170119	18,071	18				170169	23,507	10
300				170120	19,362	18				170170	30,216	10

Grey highlighted items are full threaded

1. Specifications : Generally conforming to IS : 1364, ISO : 4014/4017, DIN 931/933.
2. Threads : ISO Metric 6g as per IS:4218.
3. Material and Mechanical Properties : Property Class 10.9 as per IS : 1367.
4. Note : Shaded size are fully threaded. Prices for fully threaded screws beyond shaded sizes will cost 10% extra.
5. Orders for Property class 8.8 can be accepted subject to our confirmation on the basis of item wise quantities.
Price list for 8.8 available separately.
6. Upto 80MM Dia can be manufactured against request.



Hex Head Bolts/Screws

Length	M18			M20			Metric M22		
	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity
35				170190	6,649	25			
40	170171	5,940	25	170191	6,649	25			
45	170172	6,191	25	170192	6,965	25			
50	170173	6,383	25	170193	6,867	25	170215	9,860	10
55	170174	6,819	25	170194	7,854	25	170216	10,618	10
60	170175	7,033	25	170195	7,909	25	170217	10,966	10
65	170176	7,270	25	170196	8,219	10	170218	11,743	10
70	170177	7,941	25	170197	8,102	10	170219	12,151	10
75	170178	8,405	10	170198	9,051	10	170220	12,569	10
80	170179	8,421	10	170199	9,318	10	170221	13,080	10
90	170180	8,946	10	170200	9,902	10	170222	13,932	10
100	170181	9,912	10	170201	10,472	10	170223	14,860	10
110	170182	10,449	10	170202	11,869	10	170224	16,176	10
120	170183	11,531	10	170203	12,635	10	170225	17,290	10
130	170184	12,057	10	170204	13,748	10	170226	18,219	10
140	170185	12,584	10	170205	14,671	10	170227	19,131	10
150	170186	13,475	10	170206	14,419	10	170228	20,030	10
160	170187	14,512	10	170207	17,167	10	170229	22,848	5
180	170188	16,099	10	170208	20,100	10	170230	24,813	5
200	170189	17,394	10	170209	21,662	10	170231	26,809	5
220	240020	19,133	10	170210	30,053	5	170232	41,179	5
240	240021	20,874	10	170211	31,560	5	170233	44,607	5
260	240022	22,614	10	170212	33,068	6	170234	46,321	5
280	240023	24,354	8	170213	36,075	6	170235	51,485	5
300	240024	26,093	8	170214	39,066	6	170236	55,163	5

Grey highlighted items are full threaded

1. Specifications : Generally conforming to IS : 1364, ISO : 4014/4017, DIN 931/933.
2. Threads : ISO Metric 6g as per IS:4218.
3. Material and Mechanical Properties : Property Class 10.9 as per IS : 1367.
4. Note : Shaded size are fully threaded. Prices for fully threaded screws beyond shaded sizes will cost 10% extra.
5. Orders for Property class 8.8 can be accepted subject to our confirmation on the basis of item wise quantities.
Price list for 8.8 available separately.
6. Upto 80MM Dia can be manufactured against request.

Hex Head Bolts/Screws

Metric

Length	M24			M27			M30		
	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity
50	170237	12,430	10	170259	24,917	5	170281	33,029	5
55	170238	11,894	10	170260	24,917	5	170282	33,029	5
60	170239	12,940	10	170261	24,917	5	170283	33,029	5
65	170240	13,390	10	170262	24,917	5	170284	33,029	5
70	170241	14,194	10	170263	24,917	5	170285	33,029	5
75	170242	14,705	10	170264	26,796	5	170286	33,029	5
80	170243	16,079	10	170265	28,040	5	170287	34,372	5
90	170244	17,170	10	170266	30,528	5	170288	37,311	5
100	170245	18,571	10	170267	33,029	5	170289	40,152	5
110	170246	19,411	5	170268	35,616	5	170290	44,166	5
120	170247	20,371	10	170269	36,519	5	170291	45,142	5
130	170248	21,485	5	170270	37,721	5	170292	47,175	5
140	170249	22,507	5	170271	40,110	5	170293	50,101	5
150	170250	23,606	5	170272	42,498	5	170294	52,914	3
160	170251	28,188	5	170273	46,936	5	170295	59,867	3
170	240025	29,417	5						
180	170252	30,648	5	170274	51,925	5	170296	65,931	3
190	240026	31,856	5						
200	170253	33,063	5	170275	56,560	5	170297	71,923	5
220	170254	47,400	5	170276	77,944	4	170298	86,777	3
240	170255	49,099	5	170277	84,048	4	170299	92,883	3
260	170256	50,798	4	170278	89,561	3	170300	99,001	3
280	170257	55,866	4	170279	95,059	3	170301	105,107	2
300	170258	68,296	4	170280	99,518	3	170302	111,199	2

Grey highlighted items are full threaded

1. Specifications : Generally conforming to IS : 1364, ISO : 4014/4017, DIN 931/933.
2. Threads : ISO Metric 6g as per IS:4218.
3. Material and Mechanical Properties : Property Class 10.9 as per IS : 1367.
4. Note : Shaded size are fully threaded. Prices for fully threaded screws beyond shaded sizes will cost 10% extra.
5. Orders for Property class 8.8 can be accepted subject to our confirmation on the basis of item wise quantities.
Price list for 8.8 available separately.
6. Upto 80MM Dia can be manufactured against request.



Hex Head Bolts/Screws

Metric

Length	M33			M36			M42		
	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity
75	170303	45,338	5						
80	170304	47,939	5	170320	57,352	5			
90	170305	50,850	5	170321	61,719	3	170336	90,508	3
100	170306	54,455	5	170322	64,206	3	170337	95,709	2
110	170307	58,553	4	170323	68,573	4	170338	100,939	2
120	170308	59,952	4	170324	69,902	3	170339	101,716	2
130	170309	63,175	4	170325	73,563	3	170340	106,012	10
140	170310	67,090	4	170326	77,760	3	170341	111,912	10
150	170311	70,934	4	170327	81,929	3	170342	117,798	9
160	170312	74,240	4	170328	90,027	3	170343	123,692	9
180	170313	81,293	3	170329	104,400	2	170344	134,928	8
200	170314	88,430	3	170330	113,163	2	170345	141,033	7
220	170315	106,946	3	170331	135,678	2	170346	180,902	7
240	170316	114,831	2	170332	145,450	9	170347	194,329	6
260	170317	123,438	2	170333	155,210	8	170348	207,797	6
280	170318	132,002	2	170334	164,989	8	170349	221,239	6
300	170319	140,554	2	170335	198,059	7	170350	234,672	6

Grey highlighted items are full threaded

1. Specifications : Generally conforming to IS : 1364, ISO : 4014/4017, DIN 931/933.
2. Threads : ISO Metric 6g as per IS:4218.
3. Material and Mechanical Properties : Property Class 10.9 as per IS : 1367.
4. Note : Shaded size are fully threaded. Prices for fully threaded screws beyond shaded sizes will cost 10% extra.
5. Orders for Property class 8.8 can be accepted subject to our confirmation on the basis of item wise quantities.
Price list for 8.8 available separately.
6. Upto 80MM Dia can be manufactured against request.

Important * long delivery items-subject to extended deliveries (3 to 4 months). Users are advised to plan their requirements in advance.

Hex Head Bolts/Screws

Inch

Length	1/4			5/16			3/8			1/2		
	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity
1/2	170351	399	500	170364	532	500	170381	857	200			
5/8	170352	495	500	170365	510	500	170382	857	200			
3/4	170353	450	500	170366	487	200	170383	747	200	170400	1,609	100
7/8	170354	406	500	170367	532	200	170384	902	200	170401	1,596	100
1	170355	443	200	170368	530	200	170385	737	200	170402	1,695	100
1-1/4	170356	450	200	170369	583	200	170386	823	200	170403	1,878	100
1-1/2	170357	502	200	170370	715	200	170387	930	100	170404	2,003	50
1-3/4	170358	550	200	170371	802	200	170388	1,086	100	170405	2,169	25
2	170359	604	200	170372	848	200	170389	1,191	100	170406	2,361	25
2-1/4	170360	663	200	170373	939	100	170390	1,306	100	170407	2,607	25
2-1/2	170361	738	200	170374	1,031	100	170391	1,433	100	170408	2,776	25
2-3/4	170362	812	200	170375	1,114	100	170392	1,596	100	170409	3,005	25
3	170363	887	200	170376	1,173	100	170393	1,691	100	170410	3,371	25
3-1/4	240027	1,022	200	170377	1,251	100	170394	1,870	50	170411	3,615	25
3-1/2	240028	1,034	200	170378	1,348	100	170395	1,922	50	170412	3,739	25
3-3/4	240029	1,103	100	170379	1,664	100	170396	2,356	25	170413	3,935	25
4	240030	1,183	100	170380	1,838	100	170397	2,533	25	170414	4,099	25
4 1/4							170398	2,816	25	170415	4,353	25
4 1/2							170399	2,981	25	170416	4,742	25
5							240034	3,312	50	170417	5,180	25
5 1/2							240035	3,643	50	170418	6,324	25
6							240036	3,974	50	170419	7,678	25
6-1/2										240037	9,432	25
7										170420	11,536	20
7 1/2										170421	12,363	25
8										170422	13,187	25

Grey highlighted items are full threaded

1. Specifications : Generally conforming to ANSI B 18.2.1 for BSF BS : 1083
2. Threads : Unified Coarse, 2A as per ANSI B1.1. For BSF BS : 84.
3. Material & Mechanical Properties : Grade 8 as per SAE J 429 for BSF BS : 1083.
4. Note : Non-shaded sizes if required in full thread will cost 10% extra. BSF threading will cost 15% extra
: Upto 4 Inch Dia can be manufactured against request.



Hex Head Bolts/Screws

Inch

Length	5/8			3/4			7/8			1		
	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity
1	170423	2,962	25									
1.1/4	170424	3,306	25									
1.1/2	170425	3,468	25	170445	6,087	25				170487	13,298	10
1.3/4	170426	3,700	25	170446	6,317	25				170488	13,298	10
2	170427	3,887	25	170447	6,731	25	170467	15,914	10	170489	13,978	10
2.1/4	170428	4,232	25	170448	7,392	25	170468	15,914	10	170490	14,520	10
2.1/2	170429	4,631	25	170449	7,755	25	170469	12,832	10	170491	15,186	10
2.3/4	170430	5,005	25	170450	8,460	10	170470	12,832	10	630407	16,191	10
3	170431	5,394	25	170451	8,792	10	170471	13,443	10	170493	17,734	10
3.1/4	170432	5,744	25	170452	9,178	10	170472	14,826	10	170494	18,420	10
3.1/2	170433	6,085	25	170453	9,921	10	170473	14,826	10	170495	19,195	10
3 3/4	170434	6,730	25	170454	10,649	10	170474	15,906	10	170496	21,129	10
4	170435	6,908	25	170455	11,142	10	170475	16,664	10	170497	21,129	10
4 1/4	170436	7,149	25	170456	11,416	10	170476	17,666	10	170498	23,296	10
4 1/2	170437	7,415	25	170457	11,944	10	170477	18,508	10	170499	23,296	5
5	170438	8,347	25	170458	12,706	10	170478	19,914	10	170500	25,994	5
5 1/2	170439	9,603	20	170459	14,268	10	170479	20,980	10	170501	28,095	5
6	170440	10,066	10	170460	14,648	10	170480	22,268	10	170502	29,395	5
6.1/2	170441	11,744	10	170461	15,829	10	170481	23,500	5	170503	31,878	5
7	170442	12,648	10	170462	15,829	10	170482	25,940	5	170504	34,359	5
7.1/2	170443	13,551	10	170463	17,008	10	170483	27,282	5	170505	36,763	5
8	170444	13,798	10	170464	18,637	10	170484	28,485	5	170506	38,465	5
9				170465	19,484	10	170485	32,366	5	170507	43,259	5
10				170466	21,920	8	170486	33,865	5	170508	47,436	4
11				240038	23,298	8				170509	49,809	4
12										170510	54,336	4

Grey highlighted items are full threaded

1. Specifications : Generally conforming to ANSI B 18.2.1 for BSF BS : 1083
2. Threads : Unified Coarse, 2A as per ANSI B1.1. For BSF BS : 84.
3. Material & Mechanical Properties : Grade 8 as per SAE J 429 for BSF BS : 1083.
4. Note : Non-shaded sizes if required in full thread will cost 10% extra. BSF threading will cost 15% extra
: Upto 4 Inch Dia can be manufactured against request.



Hex Head Bolts/Screws

Inch

Length	1-1/8			1-1/4			1-3/8		
	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity
1	170511	14,937	5						
1.1/4	170512	16,199	5						
1.1/2	170513	17,677	10						
1.3/4	170514	18,276	10						
2	170515	19,680	10						
2.1/4	170516	21,092	5						
2.1/2	170517	22,297	5	170534	29,529	5	170551	35,756	5
2.3/4	170518	23,500	5	170535	30,932	5	170552	37,360	5
3	170519	24,904	5	170536	32,336	5	170553	39,169	5
3.1/4	170520	26,315	5	170537	34,146	5	170554	41,378	5
3.1/2	170521	27,518	5	170538	35,756	5	170555	43,388	5
3.3/4	170522	28,922	5	170539	37,560	5	170556	45,597	5
4	170523	30,326	5	170540	39,169	4	170557	47,606	5
4.1/4	170524	31,737	5	170541	40,773	5	170558	49,815	4
4.1/2	170525	33,141	5	170542	42,583	4	170559	51,825	4
5	170526	35,756	5	170543	45,996	5	170560	56,044	4
5.1/2	170527	38,564	5	170544	49,210	3	170561	60,262	3
6	170528	41,179	5	170545	52,630	4	170562	64,481	3
7	170529	46,602	3	170546	59,257	3	170563	72,718	3
7.1/2	170530	49,210	5	170547	62,471	3	170564	76,937	3
8	170531	52,024	3	170548	65,884	3	170565	81,155	3
9	170532	72,718	4	170549	72,718	3	170566	89,590	2
10	170533	62,870	3	170550	79,343	3	170567	98,028	2

Grey highlighted items are full threaded

1. Specifications : Generally conforming to ANSI B 18.2.1 for BSF BS : 1083
2. Threads : Unified Coarse, 2A as per ANSI B1.1. For BSF BS : 84.
3. Material & Mechanical Properties : Grade 8 as per SAE J 429 for BSF BS : 1083.
4. Note : Non-shaded sizes if required in full thread will cost 10% extra. BSF threading will cost 15% extra
: Upto 4 Inch Dia can be manufactured against request.



Hex Head Bolts/Screws

Inch

Length	1-1/2			1-3/4			2		
	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity	International Part No.	Price/ 100 Pcs	Box Quantity
2.1/2	170568	44,991	5	170585	72,662	3	170602	101,725	2
2.3/4	170569	47,201	5	170586	75,738	3	170603	105,904	2
3	170570	49,416	5	170587	78,825	3	170604	109,871	2
3.1/4	170571	51,419	4	170588	82,128	2	170605	114,050	2
3.1/2	170572	54,034	4	170589	85,205	2	170606	118,237	2
3.3/4	170573	56,443	4	170590	88,509	2	170607	122,423	2
4	170574	59,057	3	170591	92,258	2	170608	126,602	2
4.1/4	170575	61,466	3	170592	95,999	2	170609	130,789	2
4.1/2	170576	64,080	3	170593	99,740	2	170610	135,631	2
5	170577	69,097	3	170594	107,231	2	170611	145,543	2
5.1/2	170578	74,121	3	170595	114,714	2	170612	155,228	2
6	170579	79,145	2	170596	122,205	2	170613	165,139	2
7	170580	88,786	2	170597	136,732	2	170614	183,853	2
7.1/2	170581	93,809	3	170598	143,996	2	170615	193,765	2
8	170582	98,832	2	170599	151,704	2	170616	203,668	2
9	170583	108,873	2	170600	166,678	2	170617	223,046	2
10	170584	118,920	2	170601	181,651	2	170618	242,862	2

Grey highlighted items are full threaded

1. Specifications : Generally conforming to ANSI B 18.2.1 for BSF BS : 1083
2. Threads : Unified Coarse, 2A as per ANSI B1.1. For BSF BS : 84.
3. Material & Mechanical Properties : Grade 8 as per SAE J 429 for BSF BS : 1083.
4. Note : Non-shaded sizes if required in full thread will cost 10% extra. BSF threading will cost 15% extra
: Upto 4 Inch Dia can be manufactured against request.